

ASUS DEMO SOP for ME302C/KL

CHAPTERS

1. [Online SOP] ASUS Live Demo Internet installation
2. [Offline SOP] ASUS Regular Demo SD card Installation
3. ASUS Demo Online deactivation
4. Security alarm

The background is a solid blue color with abstract, flowing light streaks and gradients, particularly on the right side, creating a sense of motion and depth.

Chapter 1 [Online SOP]

ASUS Live Demo Internet installation

In store Installation by Internet

STEP1 – Set up

- 1) Plug in Adapter
- 2) Connect to wifi (Make sure demo stores disable router Firewall)
- 3) Check storage



STEP2 – Collect Serial number & Mac address

STEP3 – Key in Serial number & Mac address to eCommerce

STEP4 – Check Asus Demo App



STEP1 – Set up

- 1) Make sure the machine is charged with adapter
- 2) Make sure the demo unit is connected to wifi:
pull down the task bar → tap [Wi-Fi] → select an available wifi provider in store



STEP1 - Set up



3) Make sure Demo unit has enough storage space above **2 GB**, if not, please do factory reset first
[Setting] → [Storage]



STEP1 - Set up



4) Turn off [Daydream] mode

[Setting] → [Display] → [Daydream] turn OFF



STEP2 - Collect Serial number & Mac address

- Tap [settings] → [About tablet] → [Status] → check [Wi-fi MAC address] & [Serial number]



STEP3 –

New Registration process in eCommerce

Demo app 1.5 models:

ME371MG, A80, ME173X, ME302C & ME302KL

- **Before you key in mac address & serial number, you need to upload a “plan ahead excel chart” to generate “demo unit code” for each device in eCommerce**

What does the New process benefit for Demo app 1.5 models?

- Plan ahead can fully connect each store’s Demo Machine Plan and each demo Machine’s registration in Ecommerce by “Demo unit code”.
- Prevent the typo mistake from key in wrong SN/MAC of wrong model to wrong store.

STEP3 –

New Registration process in eCommerce



Microsoft Excel
97-2003 工作表

The Demo unit code is created according to what you have planned in the Demo Machine Plan. So What you Plan, then what you get from Demo unit code:

	A	B	C	D
1	Company ID	Model	Qty	Program days
2	D1303xxxxxx7	ME301	3	0

Find the Demo unit code under Account Management with the Company ID.

If you fill-in 3 for the Qty, then the Ecommerce will generate 3 Demo unit codes here.

Then the SN/MAC address you key in here will be examined with the Model you fill in the “Demo Machine Plan”.

Demo Machine Info

Action	Product	Sales Model Name	Unit Code	Serial	MAC Address		
Edit	EPAD	ME301T-1G023A	D YM	D2	9S	5CF	7AB0
Edit	EPAD	ME371MG-1B003A	9 JS	F	23	60	20F5
Edit			3 AJA				
Edit			5 ID6				
Edit			5 3A9				

Demo Machine Information Customize Page

Back

Demo Machine Detail Save DeActive Active

Serial Number	<input type="text"/>	MAC Address	<input type="text"/>
Product		Model	
Sales Model Name		Unit Code	3 AJA
Current Status			
Active Date		DeActive Date	
Created By		Last Modified By	

STEP3 –

New Registration process in eCommerce

Agenda

- 1. How to fill in a “Demo Machine Plan”?**
- 2. How to upload a “Demo Machine Plan”?**
- 3. How to Query the result?**
- 4. How to register SN/MAC into Ecommerce?**

How to fill in "Demo Machine Plan"? (1/2)

	A	B	C	D
1	Company ID	Model	Qty	Program days
2	D1303xxxxxx7	ME301T	3	0

The Company ID of your target store. Below chart shows where to find the Company ID in Ecommerce's Account Management:

Company Information

Back

Company detail

English Name	10	ice	Company Status	Active / Approved
Local Name	10	ice	Phone	
Type			Fax	
Company ID	DC	0000117	WebSite	
VAT No./ ABN No.			Last Modified	
Contact Address			Created By	2007-05-21
PostCode / ZipCode			State	
CM	Not set Yet!			
Tiptop code				
Company Level	Dealer - Level 1	NOTEBOOK		
Main Account of a Retail Chain / Flagship store				
Branch store of				

The quantity you planned for the Model and the Company ID. The format must be a positive number!

For **Demo 1.5** models: **ME371MG, A80, ME173X, ME302C & ME302KL**, please just fill in with **"0"**.

You must fill in the same Model number description aligned with EBS (ex: ME301T). Otherwise, your uploading will fail.

How to fill in "Demo Machine Plan"? (2/2)

Notice & Tips!!

1. The upload excel file should be saved as 97-2003 xls format
2. Do not leave blank rows and columns in the file. (example in below)

[Example] If you only have two rows in the Demo Machine Plan, then please arrange the file like in Figure 1, do not leave it like in Figure 2.

	A	B	C	D
1	Company ID	Model	Qty	Program days
2	D091xxxxx000	ME301T	3	0
3	D091xxxxx000	ME302C	2	0
4				
5				
6				
7				

Figure 1 . CORRECT

	A	B	C	D
1	Company ID	Model	Qty	Program days
2	D091xxxxx000	ME301T	3	0
3	D091xxxxx000	ME302C	2	0
4				
5				
6				
7				

Figure 2 . WRONG!

3. Demo machine plan is able to batch upload for different models in once.

	A	B	C	D
1	Company ID	Model	Qty	Program days
2	D091xxxxx001	ME301T	3	0
3	D091xxxxx002	ME302C	2	0
4	D091xxxxx003	ME302C	2	0
5	D091xxxxx004	ME301T	3	0
6	D091xxxxx005	ME301T	3	0
7				

How to upload a "Demo Machine Plan"? (1/2)

Step 1 : Open IE, connect to Ecommerce system: <http://ecommerce.asus.com>

Step 2 : Key in your Ecommerce's login ID and password

If you don't have account , please go to <http://itsm.asus.com> to request a account.

Step 3 : Follow below path:

Start here → Channel management → AA website → Demo Machine Plan

If you don't have this function. Please go to <http://itsm.asus.com> to request it.

The screenshot shows the ASUS E-commerce system navigation menu. The path to 'Demo Machine Plan' is highlighted: Channel management → AA website → Demo Machine Plan. A red arrow labeled 'ASTP users' points to the 'Demo Machine Plan' option. Another red arrow labeled 'ASUS users' points to the 'Demo Machine Plan' option in the 'Channel management' dropdown menu.

Menu Item	Sub-Item	Sub-Item
Basic Data		
Channel management	AA website	Welcome Page Setup
		Menu Setup
Sales	AGP	ASUS Standard Wallpaper
		Download Annual Dealer
Sales Insurance	Sell through rebate	Contact Management
Budget Management	SBA	Account Management
	Retailer	Region / Country Mileage Product Setup
	Tender Rebate	Demo Machine Plan
	Accounts & Contacts	(new) CheckStd price
	EMS	
	POS & Channel Inventory Tracking	
	Rebate	

Channel management

- Customize Mail Template
- Account Management
- POS management
- Tech.Support
- Demo Machine Plan

How to upload a “Demo Machine Plan”? (2/2)

Step 4 : Then enter the upload page:

Step 5. Define “Territory”.

Step 6. Define “Product”.

Step 7. Review and upload the file.

Demo Machine Plan Query

*Territory AMEA	*Product EPAD
*Country	*Model

更新成功

Country	Company Name	Company ID	Model	Unit Code	Days	Creator	Created Date
---------	--------------	------------	-------	-----------	------	---------	--------------

Step 8. If the Demo Machine Plan is uploaded successfully, then here will show successful message.

How to Query the result?

- After the “Demo Machine Plan” been uploaded successfully.
- You can use “Query” to check the results.

Step 1. Define: Territory/Product/Country/Model

Step 2. Click “Query”.

The screenshot shows a web interface titled "Demo Machine Plan". At the top right, there is a "Query" button and an "upload" button. Below the title, there are filter fields: "*Territory" (AMEA), "*Country" (TAIWAN), "*Product" (EPAD), and "*Model" (ME301T). Below the filters is a table with the following data:

Country	Company Name	Company ID	Model	Unit Code	Days	Creator	Created Date
TAWAN	test1234	D0! j3	ME301T	6B DG	-1000	G ng	2013/07/19
TAWAN	test1234	D0! j3	ME301T	5Z jS	-1000	G ng	2013/07/19
TAWAN	test1234	D0! j3	ME301T	LT. jS	-1000	G ng	2013/07/19

Step 3. Check the result here.

How to register SN/MAC into Ecommerce? (1/2)

- Go to “Account Management to find the Company ID with Demo program.
- You can find the unused “Demo unit codes” have been generated under the account in “Demo Machine Info” section.

Action	Product	Sales Model Name	Unit Code	Serial Number	MAC Address	Current Status
Edit	EPAD	ME301T-1G023A	D YM	D20K 39	5Cf AB0	DeActive
Edit	EPAD	ME371MG-1B003A	9 L9S	D40K 123	60A 20F5	DeActive
Edit			3 AJA			
Edit			5 ID6			
Edit			5 3A9			

Step 1. Check "Edit" to enter the register page.

Step 4. Then Click "Save".

Demo Machine Information Customize Page

[Back](#)

Demo Machine Detail

[Save](#) [DeActive](#) [Active](#)

Serial Number

MAC Address

Product

Model

Sales Model Name

Unit Code

Current Status

Active Date

DeActive Date

Created By

Step 2. Key in SN.

Step 3. Key in MAC Address.




How to register SN/MAC into Ecommerce? (2/2)

Step 5. Register successfully. Then system shows the machine's details on the page. **If not, please make sure you key in the correct SN/MAC under the correct unit code account. (Each unit code is customized by different model)**

Demo Machine Information		Customize Page	
Back			
Demo Machine Detail		<input type="button" value="Save"/> <input type="button" value="DeActive"/> <input type="button" value="Active"/>	
Serial Number	D5OKC_____4	MAC Address	74D0_____J0
Product	EPAD	Model	ME173X
Sales Model Name	ME173X-1B031A	Unit Code	A_____EJ
Current Status	Active-Dead		
Active Date	2013-06-18 17:21	DeActive Date	
Created By	_____/2013-06-17	Lasted Modified By	/2013-06-18

STEP 4 – Check Demo App

- After you key in serial number and mac address into eCommerce, check the demo device see if download page shows up and **click [View Downloads]**
- Wait for 9 videos, 1 Subtitle.zip and 1 Html.zip complete on download list (11mins)
- **Click [Start Tutorial]** and wait for loading – Finish!





Chapter2 [Offline SOP]
ASUS Regular Demo SD card installation

In Store Installation by Micro SD card

STEP1- Preparation

Download the Demo software to Micro SD card from “ASUS DEMO Program Resource Site”:

- 1) DemoApp.abu
- 2) ME302CContent_.zip

STEP2- In Store Installation

- 1) Demo App installation

Appendix: 3 steps to become Live Demo

STEP1. Preparation – Download Demo App & Content

1. Go to “ASUS DEMO Program Resource Site”

<http://www.asus.com/microsite/demo/default.htm>

ME302C → ASUS MeMO Pad FHD 10

ME302KL → ASUS MeMO Pad FHD 10 LTE

2. Select the model name → download “ASUSDemoApp.abu & Content” into Micro SD Card

ASUS DEMO Program Resource Site

The demo app and all content including photos, apps, games, music, and videos are exclusively for ASUS Golden Partners and ASUS Sales.

Please do NOT load these files into any device other than the DEMO unit.

Select your model from the list:

ASUS PadFone Infinity

ASUS Fonepad

ASUS MeMO Pad

ASUS MeMO Pad Smart 10"

ASUS MeMO Pad HD 7



ASUS MeMO Pad FHD 10

ASUS MeMO Pad FHD 10 LTE

STEP1. Preparation

3. Turn off [Daydream] mode

[Setting] → [Display] → [Daydream] turn OFF



Step 2. In Store Installation – Install Demo App 1/6

1.




2.

**MicroSD
card
slot**




3.




1. Boot up and setting
2. Insert the MicroSD card
3. Go to Apps list and click [File Manager]

Step 2. In Store Installation – Install Demo App 2/6


4.



5.



6.




4. Click MicroSD

5. Click ASUSDemoApp.abu

6. Scroll down [End User License Agreement] page

Step 2. In Store Installation – Install Demo App 2/6


7.



8.




9.




7. Check to agree agreement and click [OK]
8. Click [x] on the right up corner
9. Click [OK]

Step 2. In Store Installation – Install Demo App 3/6


10.



11.



12.




10. Enter password [741603] and click [ok]

11. Confirm [Restore]


12. Click [OK]

Step 2. In Store Installation – Install Demo App 4/6


13.



14.



15.




13. Wait for Processing

14. Confirm [OK] → Click [back key]


15. Go to App List and click [ASUSDemoApp]

Step 2. In Store Installation – Install Demo App 5/6

16.



17.




16. After the promotion page shows up click [back key]

17. Go to App List and click [ASUSDemo Agent] (TimeRecord)

Step 2. In Store Installation – Install Demo App 6/6

18.



19.



18. Click [Start time record service]

19. ASUS DEMO video will start playing → Done!

Appendix: 3 steps to become Live Demo



Appendix: 3 steps to become Live Demo

- If demo stores have Internet connection, Regular Demo can become Live Demo

1. Enable Internet connection
 - * Make sure demo stores disable router Firewall
2. Collect MAC address and Serial Number from Micro SD card
3. Key in MAC address and Serial Number in eCommerce


Appendix: 3 steps to become Live Demo

1. Enable Internet connection



Appendix: 3 steps to become Live Demo

2. Collect MAC address and Serial Number (1/2)
(*Do not copy Serial No. from retail box)




After you installed ASUS demo to the device, demo app will auto read the device's Serial Number & MAC Address and save it as .csv file into the Micro SD card!

Appendix: 3 steps to become Live Demo

2. Collect MAC address and Serial Number (2/2)

(*Do not copy Serial No. from retail box)




Notice!

- The Micro SD card can be used several times, however, a .csv file represents one demo unit (for example, if you successfully implement ten demo units, there will be ten .csv files).
- Please save the demo device's mac address & serial number from each .csv file and key in eCommerce store by store.

Appendix: 3 steps to become Live Demo

3. Key in the demo device's mac address & serial number to eCommerce (1/6)
 - Go to <http://ecommerce.asus.com.tw/>
 - Log in Asus eCommerce [channel management] – [AA website] – [Account Management]
 - Follow **CHAPTER 1** – online installation to upload [Demo machine plan] – [Create demo unit code] – [key in serial number & mac address]



First, fill in "Demo Machine Plan"? (1/2)

	A	B	C	D
1	Company ID	Model	Qty	Program days
2	D1303xxxxxx7	ME301T	3	0

The Company ID of your target store. Below chart shows where to find the Company ID in Ecommerce's Account Management:

The screenshot shows a web interface for 'Company information'. The 'Company detail' section includes fields for English Name, Local Name, Type, VAT No./ ABN No., Contact Address, PostCode / ZipCode, CM, Tiptop code, Company Level, Dealer, and Main Account of a Retail Chain / Flagship store. The 'Company ID' field is highlighted with a red box and contains the value 'DC0000117'. Other fields include Company Status (Active / Approved), Phone, Fax, WebSite, Last Modified, and Created By (2007-05-21).

The quantity you planned for the Model and the Company ID. The format must be a positive number!

For **Demo 1.5** models: **ME371MG, A80, ME173X, ME302C & ME302KL**, please just fill in with **"0"**.

You must fill in the same Model number description aligned with EBS (ex: ME301T). Otherwise, your uploading will fail.

First, fill in "Demo Machine Plan"? (1/2)

Notice & Tips!!

1. The upload excel file should be saved as 97-2003 xls format
2. Do not leave blank rows and columns in the file. (example in below)

[Example] If you only have two rows in the Demo Machine Plan, then please arrange the file like in Figure 1, do not leave it like in Figure 2.

	A	B	C	D
1	Company ID	Model	Qty	Program days
2	D091xxxxx000	ME301T	3	0
3	D091xxxxx000	ME302C	2	0
4				
5				
6				
7				

Figure 1 . CORRECT

	A	B	C	D
1	Company ID	Model	Qty	Program days
2	D091xxxxx000	ME301T	3	0
3	D091xxxxx000	ME302C	2	0
4				
5				
6				
7				

Figure 2 . WRONG!

3. Demo machine plan is able to batch upload for different models in once.

	A	B	C	D
1	Company ID	Model	Qty	Program days
2	D091xxxxx001	ME301T	3	0
3	D091xxxxx002	ME302C	2	0
4	D091xxxxx003	ME302C	2	0
5	D091xxxxx004	ME301T	3	0
6	D091xxxxx005	ME301T	3	0
7				

Secondly, upload a "Demo Machine Plan" (1/2)

Step 1 : Open IE, connect to Ecommerce system: <http://ecommerce.asus.com>


Step 2 : Key in your Ecommerce's login ID and password

If you don't have account , please go to <http://itsm.asus.com> to request a account.

Step 3 : Follow below path:


Start here → Channel management → AA website → Demo Machine Plan

If you don't have this function. Please go to <http://itsm.asus.com> to request it.



ASTP users

ASUS users



Secondly, upload a “Demo Machine Plan” (1/2)

Step 4 : Then enter the upload page:

Step 5. Define “Territory”.

Step 6. Define “Product”.

Step 7. Review and upload the file.

The screenshot shows a web interface for uploading a Demo Machine Plan. At the top left, the title "Demo Machine Plan" is displayed. Below it, there are two main sections for defining the plan. The first section has a dropdown menu for "*Territory" with "AMEA" selected, and a dropdown for "*Country". The second section has a dropdown for "*Product" with "EPAD" selected, and a dropdown for "*Model". To the right of these sections is a "Query" input field and a red dashed box containing a search icon and an "upload" button. A green message "更新成功" (Update Successful) is visible on the left side of the form. Below the form is a table with the following columns: Country, Company Name, Company ID, Model, Unit Code, Days, Creator, and Created Date.

Step 8. If the Demo Machine Plan is uploaded successfully, then here will show successful message.

Thirdly, query the result of “unit code”

- After the “Demo Machine Plan” been uploaded successfully.
- You can use “Query” to check the results.

Step 1. Define: Territory/Product/Country/Model

Step 2. Click “Query”.

The screenshot shows a web interface titled "Demo Machine Plan". At the top right, there is a "Query" button and an "upload" button. Below the title, there are four filter fields: "*Territory" (AMEA), "*Country" (TAIWAN), "*Product" (EPAD), and "*Model" (ME301T). Below the filters is a table with the following data:

Country	Company Name	Company ID	Model	Unit Code	Days	Creator	Created Date
TAWAN	test1234	D0! j3	ME301T	6B DG	-1000	G ng	2013/07/19
TAWAN	test1234	D0! j3	ME301T	5Z jS	-1000	G ng	2013/07/19
TAWAN	test1234	D0! j3	ME301T	LT. jS	-1000	G ng	2013/07/19

Step 3. Check the result here.

Fourth, register SN/MAC into Ecommerce (1/2)

- Go to “Account Management to find the Company ID with Demo program.
- You can find the unused “Demo unit codes” have been generated under the account in “Demo Machine Info” section.

Action	Product	Sales Model Name	Unit Code	Serial Number	MAC Address	Current Status
Edit	EPAD	ME301T-1G023A	D YM	D20K 39	5Cf AB0	DeActive
Edit	EPAD	ME371MG-1B003A	9 L9S	D40K 123	60A 20F5	DeActive
Edit			3 AJA			
Edit			5 ID6			
Edit			5 3A9			

Step 1. Check "Edit" to enter the register page.

Step 4. Then Click "Save".

Demo Machine Information Customize Page

[Back](#)

Demo Machine Detail

[Save](#) [DeActive](#) [Active](#)

Serial Number

MAC Address

Product

Model

Sales Model Name

Unit Code

Current Status

Active Date

DeActive Date

Created By


Step 2. Key in SN.

Step 3. Key in MAC Address.

Fourth, register SN/MAC into Ecommerce (1/2)

Step 5. Register successfully. Then system shows the machine's details on the page. **If not, please make sure you key in the correct SN/MAC under the correct unit code account. (Each unit code is customized by different model)**

Demo Machine Information		Customize Page	
Back			
Demo Machine Detail		<input type="button" value="Save"/> <input type="button" value="DeActive"/> <input type="button" value="Active"/>	
Serial Number	D5OKC_____4	MAC Address	74D0_____J0
Product	EPAD	Model	ME173X
Sales Model Name	ME173X-1B031A	Unit Code	A_____EJ
Current Status	Active-Dead		
Active Date	2013-06-18 17:21	DeActive Date	
Created By	_____/2013-06-17	Lasted Modified By	/2013-06-18



Chapter 3
Asus Demo Online Deactivation
SOP


Two ways to deactivate Asus Demo App through Wi-Fi

1. Store Staff Deactivation
2. Channel Sales Deactivation


1. Store Staff Deactivation 1/2

Notice! If the store has wifi connection, please make sure the Demo unit connected to wifi. After you key in the pin code, demo app will be deleted immediately and sync the deactivation status with eCommerce.

1.




2.




3.




1. Click [ASUS demo] app
2. On the content page press [back key ] for 10 seconds
3. [pin code page] : key in [741603] → start auto reset

1. Store Staff Deactivation 2/2


4.



5.



6.



4. Click [Factory data reset]
5. Click [Reset tablet]
6. Click [Erase everything]

2. Channel Sales Deactivation

Channel Sales can deactivate Live Demo in eCommerce

<http://ecommerce.asus.com.tw/>

The screenshot displays the ASUS eCommerce management interface. The top left features the ASUS logo with the tagline "Inspiring Innovation • Persistent Perfection". Below the logo, there is a navigation bar with "Start here" highlighted in a red box. To the right of "Start here" are links for "我最常用的功能...", "Language", "Login As", and "Repo".

The main content area is divided into two columns. The left column contains "Inventory Report Management" with a status of "更新成功". Below this, there are dropdown menus for "國別" (Country) set to "TH" and "客戶" (Customer) set to "SISTH-TH-C". There are also two options: "選項 1: Input data on the web" and "選項 2: Upload XML, Excel, CSV File".

The right column contains a list of management options, including "Welcome Page Setup", "Menu Setup", "eNews", "Multi File Upload", "ASUS Standard Wallpaper", "Shop Decoration Management", "Shop Deco Rating Point Setting", "APNP Web Key In Management", "Download Annual Dealer", "Calendar Management", "Contact Management", "Customize Mail Template", "Special Offer Setup", "Elearning How This Work Setup", "Local Mileage Prize Points Setup", "Elearning Region / Country Rule Setup", "Local Elearning Material Setup", "Mileage Prize Setup", and "Account Management". The "Account Management" option at the bottom right is highlighted in a red box.

Additional menu items visible in the left column include "Basic Data", "Channel management" (highlighted in a red box), "Sales", "Sales Insurance", "Budget Management", "Retailer", "Tender Rebate", "Accounts & Contacts", "Internal Shop Deco. Management", "POS & Channel Inventory Tracking", and "Rebate". The "Channel management" menu is further expanded to show "AA website" (highlighted in a red box), "AGP", "Sell through rebate", "KPI", and "Retailer".

2. Channel Sales Deactivation

1. Select [Approved dealer]

Inspiring Innovation • Persistent Perfection

Start here... | Access... | Language | Login As | Reports

TP-CRM-v24

My Account | Sitemap | Messages : 0 | Logout

Account Management

View : **Approved dealer** | Merge AA Dealer | Add New Dealer | Dealer Group Report | Total Amount : 0

Search criteria -

Country : **Select One...**

Company Name: **4900090678**

Login ID:

VAT/ABN:

Email:

Row per page : 20

2. Select your country
Key in the store's "Company ID/Name" or "Login ID" to search

2. Channel Sales Deactivation

Company information Customize Page

[Back](#)

Company detail Group AA Dealer Deactive Delete Edit

English Name	10[redacted]ce	Company Status	Active / Approved
Local Name	10[redacted]ce	Phone	[redacted]
Type		Fax	
Company ID	DC[redacted]17	WebSite	
VAT No./ ABN No.	[redacted]	Last Modified	
Contact Address		Created By	2007-05-21
PostCode / ZipCode	[redacted]	State	[redacted]
CM	Not set Yet!		
Tiptop code			

You will enter Company detail page.

3. Scroll down till you see this section of [Basic] → [Demo Machine Info] → [Edit]

Basic Sellout Limited time

Store Info

Action	Store name	Store size	Tech support	Show Case	Address	Telephone
	DEFAULT	10	Yes	Yes		

Employee List New Contact

Action	Title	First name	Last name	Email	Contact Number
Edit	-	[redacted]	[redacted]		

Demo Machine Info

Action	Product	Sales Model Name	Unit Code	Serial Number	MAC Address	Current Status
Edit	EPAD		26BSMJ	CBOKCT089187	5CFF3556867C	Active-Dead
Edit	EPAD		5Z2X5S	CBOKCT089205	5CFF3556866F	Active-Dead
Edit	EPAD		6BLMDG	CBOKCT089217	5CFF35568687	Active-Dead
Edit	EPAD		7A72X2	D2OKBC171208	60A44C7DF2C3	Active-Dead
Edit	EPAD		C7ZM6X	CBOKCT089242	5CFF355686AE	Active-Dead
Edit	EPAD		MKXC3B	CBOKCT089224	5CFF35568689	Active-Dead
Edit	EPAD		TF6RAL	CBOKCT089192	5CFF35568653	Active-Dead
Edit	EPAD		XETF8G	CBOKCT089175	5CFF3556865F	Active-Dead

2. Channel Sales Deactivation

The screenshot displays a web interface for 'Demo Machine Information'. The page title is 'Demo Machine Information' and it includes a 'Back' link. Below the title is a 'Demo Machine Detail' section with a table of fields. To the right of the table are action buttons: 'New', 'New', 'DeActive', and 'Active'. The 'DeActive' button is highlighted with a red box. A yellow callout box points to the 'DeActive' button with the text: '1. Only when the "Current Status" is "Active", then the button of "Deactive" will appear.' Another yellow callout box points to the 'Active' status in the table with the text: '2. Click the button of "Deactive".'

Demo Machine Information	
Back	
Demo Machine Detail	
Serial Number	QT
Product	EPAD
Sales Model Name	ME172V-1B106A
Active Date	2013-03-07 05:03
Created By	/2013-03-07

1. Only when the "Current Status" is "Active", then the button of "Deactive" will appear.

2. Click the button of "Deactive".

2. Channel Sales Deactivation

Demo Machine Info Customize Page

[Back](#) **Update succeeded.**

Demo Machine Detail

Serial Number	D1[redacted]12	MAC Address	5CF[redacted]:1C
Product	EPAD	Model	ME301T
Sales Model Name	ME301T-1B040A	Current Status	Request DeActive
Active Date	2013-03-07 12:03	DeActive Date	
Created By	[redacted]/2013-03-07	Lasted Modified By	Jose_Liao/2013-03-07

Once here shows as "Request Deactive", means: Ecommerce has request FOTA server for the Deactive.

Demo Machine Information Customize Page

[Back](#)

Demo Machine Detail

Serial Number	D1[redacted]312	MAC Address	5[redacted]:1C
Product	EPAD	Model	ME301T
Sales Model Name	ME301T-1B040A	Current Status	DeActive
Active Date	2013-03-07 12:03	DeActive Date	2013-03-07 03:03
Created By	[redacted]/2013-03-07	Lasted Modified By	[redacted]/2013-03-07

Only when here becomes as "Deactive", means:

1. FOTA server has remove this machine's registration from the list.
2. And the machine has been removed with the Demo app.

The background is a solid blue color with a gradient from dark blue at the top to a lighter blue at the bottom. There are several bright, glowing light streaks or lens flares that curve across the right side of the image, creating a sense of motion and depth.

Chapter 4

Install and test Security Alarm


Install and test Security Alarm

If the Store has ordered Asus security alarm, please help to set up.

Please refer to Security Alarm SOP for detail



Security Alarm
SOP



COMPLETE



Welcome to join ASUS DEMO!

